



---

**TRUSTED, ACCURATE AND  
RELIABLE!**

---

**The most comprehensive IT certification  
preparation materials in the industry!**

All rights reserved. No part of this document may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other non-commercial uses permitted by copyright law. Unauthorized copying, reselling, or distribution of this document is strictly prohibited and may result in legal action.

<https://www.virtulearner.com>  
[support@virtulearner.com](mailto:support@virtulearner.com)

**Salesforce**

**Javascript Developer I**

**Salesforce Certified**

**JavaScript Developer I Exam**

**QUESTION: 1**

Refer to the code below:

```
01 const exec = (item, delay) =>{
02 new Promise(resolve => setTimeout( () => resolve(item), delay)), 03 async function
runParallel() {
04 Const (result1, result2, result3) = await Promise.all{ 05 [exec (`x', `100') , exec(`y', 500),
exec(`z', `100')] 06 };
07 return `parallel is done: ${result1}${result2}${result3}`; 08 }
}
}
```

Which two statements correctly execute the runParallel () function? Choose 2 answers

- A. Async runParallel () .then(data);
- B. runParallel ( ). done(function(data){return data;});
- C. runParallel () .then(data);
- D. runParallel () .then(function(data)return data

**Answer(s):** B, D

**QUESTION: 2**

A developer needs to test this function:

```
01const sum3 = (arr) => (
02if (!arr.length) return 0,
03if (arr.length === 1) return arr[0],
04if (arr.length === 2) return arr[0]+ arr[1],
05 return arr[0] + arr[1] + arr[2],
06 );
```

Which two assert statements are valid tests for the function? Choose 2 answers

- A. console.assert(sum3(1, `2')) == 12);
- B. console.assert(sum3(0)) == 0);
- C. console.assert(sum3(-3, 2 )) == -1);
- D. console.assert(sum3(`hello', 2, 3, 4)) === NaN);

**Answer(s):** A, C

**QUESTION: 3**

Which statement phrases successfully?

- A. JSON.parse ( ` foo ' );
- B. JSON.parse ( " foo " );
- C. JSON.parse( " ` foo ' " );
- D. JSON.parse( " foo " );

**Answer(s):** D

**QUESTION: 4**

Refer to the code below:

```
01 let car1 = new promise((_, reject) =>
```

```

02 setTimeout(reject, 2000, "Car 1 crashed in");
03 let car2 = new Promise(resolve => setTimeout(resolve, 1500, "Car 2 completed"));
04 let car3 = new Promise(resolve => setTimeout (resolve, 3000, "Car 3 Completed"));
05 Promise.race([car1, car2, car3])
06 .then(value => (
07 let result = $(value) the race. `;
08 ))
09 .catch( err => (
10 console.log("Race is cancelled.", err);
11 ));

```

What is the value of result when Promise.race executes?

- A. Car 3 completed the race.
- B. Car 1 crashed in the race.
- C. Car 2 completed the race.
- D. Race is cancelled.

**Answer(s): C**

**QUESTION: 5**

Refer to the code below:

```

for(let number =2 ; number <= 5 ; number += 1 ) {
// insert code statement here
}

```

The developer needs to insert a code statement in the location shown. The code statement has these requirements:

1. Does require an import
2. Logs an error when the boolean statement evaluates to false
3. Works in both the browser and Node.js

Which meet the requirements?

- A. `assert (number % 2 === 0);`
- B. `console.error(number % 2 === 0);`
- C. `console.debug(number % 2 === 0);`
- D. `console.assert(number % 2 === 0);`

**Answer(s): D**

**QUESTION: 6**

A developer is working on an ecommerce website where the delivery date is dynamically calculated based on the current day. The code line below is responsible for this calculation.

```
Const deliveryDate = new Date ();
```

Due to changes in the business requirements, the delivery date must now be today's date + 9 days.

Which code meets this new requirement?

- A. `deliveryDate.setDate(( new Date ( )).getDate ( ) +9);`
- B. `deliveryDate.setDate( Date.current ( ) + 9);`
- C. `deliveryDate.date = new Date(+9) ;`