



TRUSTED, ACCURATE AND RELIABLE!

The most comprehensive IT certification
preparation materials in the industry!

All rights reserved. No part of this document may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other non-commercial uses permitted by copyright law. Unauthorized copying, reselling, or distribution of this document is strictly prohibited and may result in legal action.

<https://www.virtulearner.com>
support@virtulearner.com

Juniper

JN0-421

Automation and DevOps,

Specialist

QUESTION: 1

Which command is valid for accessing a Junos device using the RESTful API on the default port?

A.

```
curl http://user:pass123@192.168.1.1/rpc/get-interface-information?interface-name=lo0
```

B.

```
curl http://192.168.1.1/rpc/get-interface-information?interface-name=lo0 -u "user:pass123"
```

C.

```
curl -u "user:pass123" http://192.168.1.1:80/rpc/get-interface-information?interface-name=lo0
```

D.

```
curl http://user:pass123@192.168.1.1:3000/rpc/get-interface-information?interface-name=lo0
```

Answer(s): C

QUESTION: 2

You need to reset all Junos systems in your lab to their factory-default state and then push a new configuration to the device.

Which two Ansible modules would your playbook use to accomplish this task? (Choose two)

- A. junos_system_services
- B. junos_zeroize
- C. junos_get_facts
- D. junos_install_config

Answer(s): B,D

Reference:

https://www.juniper.net/documentation/en_US/junos-ansible1.0/topics/example/junos-ansible-playbooks-device-zeroize.html https://www.juniper.net/documentation/en_US/junos-ansible1.0/topics/example/junos-ansible-playbooks-device-configuring.html

QUESTION: 3

Click the Exhibit button.

Exhibit:

Ansible playbook:

```

- - -
- name: Get facts
hosts: r0
connection: local
gather_facts: no
roles:
  - Juniper.junos
tasks:
  - name: Execute junos_get_facts console
    Junos_get_facts:
      host: "{{inventory_hostname}}"
      user: "root"
      console: "--telnet=console_server, 555"
      logfile: ""
      savedir: "./facts"

```

The r0 device is currently in a factory-default state. The console connection of r0 is reachable using Telnet on TCP port 555 of the console_server host. Referring to the exhibit, which statement is true?


- A. The device does not require configuration changes for the playbook to run successfully
- B. The Telnet service must be configured for the playbook to run successfully
- C. A password for the root user must be configured for the playbook to run successfully
- D. The NETCONF service must be configured for the playbook to run successfully

Answer(s): D

QUESTION: 4

Click the Exhibit button.

Exhibit:



You are using RubyEZ to interact with a Junos device: however, you are not successfully connecting to the device.

Referring to the exhibit, what is the problem?