



---

# TRUSTED, ACCURATE AND RELIABLE!

---

The most comprehensive IT certification  
preparation materials in the industry!

All rights reserved. No part of this document may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other non-commercial uses permitted by copyright law. Unauthorized copying, reselling, or distribution of this document is strictly prohibited and may result in legal action.

<https://www.virtulearner.com>  
[support@virtulearner.com](mailto:support@virtulearner.com)


**NetApp**

**NS0-159**

NetApp Certified Data  
Administrator - ONTAP

**QUESTION: 1**

Click the Exhibit button.



After you successfully deploy cluster CDOT93, you log in to System Manager and notice the error shown in the exhibit.

Which command must you use to correct the error?

- A. storage failover giveback - node CDOT93-01
- B. storage failover modify - node \* -enabled false
- C. storage failover giveback - node CDOT93-02
- D. storage failover modify - node \* -enabled true

**Answer(s): D**

**QUESTION: 2**


Where would you look to find the minimum and the maximum number of array LUNs supported by FlexArray?

- A. OneCollect
- B. Config Advisor
- C. Hardware Universe
- D. Interoperability Matrix Tool (IMT)

**Answer(s): C**

**QUESTION: 3**

Click the Exhibit button.



**Key to storage connections**

- Primary connection
- Redundant primary connection
- - - Standby connection
- - - Redundant standby connection

Referring to the exhibit, what is a valid storage failover scenario?

- A. Node 1 fails and Node 2 takes over Node 1's storage.
- B. Node 2 fails and Node 3 takes over Node 2's storage.
- C. Node 3 fails and Node 1 takes over Node 3's storage.
- D. Node 4 fails and Node 2 takes over Node 4's storage.

**Answer(s): A**