



TRUSTED, ACCURATE AND RELIABLE!

The most comprehensive IT certification
preparation materials in the industry!

All rights reserved. No part of this document may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other non-commercial uses permitted by copyright law. Unauthorized copying, reselling, or distribution of this document is strictly prohibited and may result in legal action.

<https://www.virtulearner.com>
support@virtulearner.com

Salesforce
Agentforce-Specialist
Salesforce Certified
Agentforce Specialist Exam

QUESTION: 1

What is the importance of Action Instructions when creating a custom Agent action?

- A. Action Instructions define the expected user experience of an action.
- B. Action Instructions tell the user how to call this action in a conversation.
- C. Action Instructions tell the large language model (LLM) which action to use.

Answer(s): A

Explanation:

Comprehensive and Detailed In-Depth Explanation;

In Salesforce Agentforce, custom Agent actions are designed to enable AI-driven agents to perform specific tasks within a conversational context. Action Instructions are a critical component when creating these actions because they define the expected user experience by outlining how the action should behave, what it should accomplish, and how it interacts with the end user. These instructions act as a blueprint for the action's functionality, ensuring that it aligns with the intended outcome and provides a consistent, intuitive experience for users interacting with the agent. For example, if the action is to "schedule a meeting," the Action Instructions might specify the steps (e.g., gather date and time, confirm with the user) and the tone (e.g., professional, concise), shaping the user experience.

· Option B: While Action Instructions might indirectly influence how a user invokes an action (e.g., by making it clear what inputs are needed), they are not primarily about telling the user how to call the action in a conversation. That's more related to user training or interface design, not the instructions themselves.

· Option C: The large language model (LLM) relies on prompts, parameters, and grounding data to determine which action to execute, not the Action Instructions directly. The instructions guide the action's design, not the LLM's decision-making process at runtime.

Thus, Option A is correct as it emphasizes the role of Action Instructions in defining the user experience, which is foundational to creating effective custom Agent actions in Agentforce.

Reference:

· Salesforce Agentforce Documentation: "Create Custom Agent Actions" (Salesforce Help: https://help.salesforce.com/s/articleView?id=sf.agentforce_custom_actions.htm&type=5)

· Trailhead: "Agentforce Basics" module (<https://trailhead.salesforce.com/content/learn/modules/agentforce-basics>)

QUESTION: 2

Universal Containers built a Field Generation prompt template that worked for many records, but users are reporting random failures with token limit errors.

What is the cause of the random nature of this error?

- A. The template type needs to be switched to Flex to accommodate the variable amount of tokens generated by the prompt grounding.
- B. The number of tokens generated by the dynamic nature of the prompt template will vary by record.

C. The number of tokens that can be processed by the LLM varies with total user demand.

Answer(s): B

Explanation:

Comprehensive and Detailed In-Depth Explanation;

In Salesforce Agentforce, prompt templates are used to generate dynamic responses or field values by leveraging an LLM, often with grounding data from Salesforce records or external sources. The scenario describes a Field Generation prompt template that fails intermittently with token limit errors, indicating that the issue is tied to exceeding the LLM's token capacity (e.g., input + output tokens). The random nature of these failures suggests variability in the token count across different records, which is directly addressed by Option B.

Prompt templates in Agentforce can be dynamic, meaning they pull in record-specific data (e.g., customer names, descriptions, or other fields) to generate output. Since the data varies by record-- some records might have short text fields while others have lengthy ones--the total number of tokens (words, characters, or subword units processed by the LLM) fluctuates. When the token count exceeds the LLM's limit (e.g., 4,096 tokens for some models), the process fails, but this only happens for records with higher token-generating data, explaining the randomness.

- Option A: Switching to a "Flex" template type might sound plausible, but Salesforce documentation does not define "Flex" as a specific template type for handling token variability in this context (there are Flow-based templates, but they're unrelated to token limits). This option is a distractor and not a verified solution.

- Option C: The LLM's token processing capacity is fixed per model (e.g., a set limit like 128,000 tokens for advanced models) and does not vary with user demand. Demand might affect performance or availability, but not the token limit itself.

Option B is the correct answer because it accurately identifies the dynamic nature of the prompt template as the root cause of variable token counts leading to random failures.

Reference:

- Salesforce Agentforce Documentation: "Prompt Templates" (Salesforce Help:

https://help.salesforce.com/s/articleView?id=sf.agentforce_prompt_templates.htm&type=5)

- Trailhead: "Build Prompt Templates for Agentforce"
(<https://trailhead.salesforce.com/content/learn/modules/build-prompt-templates-for-agentforce>)

QUESTION: 3

What is a valid use case for Data Cloud retrievers?

- A. Returning relevant data from the vector database to augment a prompt.
- B. Grounding data from external websites to augment a prompt with RAG.
- C. Modifying and updating data within the source systems connected to Data Cloud.

Answer(s): A