



TRUSTED, ACCURATE AND RELIABLE!

The most comprehensive IT certification
preparation materials in the industry!

All rights reserved. No part of this document may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other non-commercial uses permitted by copyright law. Unauthorized copying, reselling, or distribution of this document is strictly prohibited and may result in legal action.

<https://www.virtulearner.com>
support@virtulearner.com

Palo Alto Networks

PSE-PrismaCloud

Palo Alto Networks System

Engineer - Prisma Cloud

QUESTION: 1

Which configuration needs to be done to perform user entity behavior analysis with Prisma Public Cloud?

- A. Create alert rules.
- B. Whitelist IP addresses.
- C. Configure User-ID.
- D. Define enterprise settings.

Answer(s): D

Explanation:

<https://docs.paloaltonetworks.com/prisma/prisma-cloud/prisma-cloud-admin/prisma-cloud-policies/anomaly-policies.html>

QUESTION: 2

Which two cloud providers support Load Balancers as next hop configurations for outbound connections? (Choose two.)

- A. Google Cloud Platform
- B. Microsoft Azure
- C. Oracle Cloud
- D. Amazon Web Services

Answer(s): A, B

QUESTION: 3

DRAG DROP (Drag and Drop is not supported)
Match the query type with its corresponding search


Find instances that are accessible over the internet using insecure ports	Drag answer here	config where
Detect risky changes executed by a root user	Drag answer here	event where
View all S3 buckets that are open to the public via bucket policy	Drag answer here	network where

A. See Explanation for the Answer.

Answer(s): A

Explanation:

network where,
event where,
config where

**QUESTION: 4**

Which RQL string returns a list of all Azure virtual machines that are not currently running?

- A. config where api.name = 'azure-vm-list' AND json.rule = powerState = "off"
- B. config where api.name = 'azure-vm-list' AND json.rule = powerState does not contain "running"
- C. config where api.name = 'azure-vm-list' AND json.rule = powerState = "running"
- D. config where api.name = 'azure-vm-list' AND json.rule = powerState contains "running"

Answer(s): B

QUESTION: 5

Palo Alto Networks recommends which two options for outbound HA design in Amazon Web Services using VM-Series NGFW? (Choose two.)

- A. iLB-as-next-hop
- B. transit gateway and security VPC with VM-Series
- C. traditional active/standby HA on VM-Series
- D. transit VPC and security VPC with VM-Series

Answer(s): B, C

QUESTION: 6

Which three anomaly policies are predefined in Prisma Public Cloud? (Choose three.)

- A. Excessive login failures
- B. Unusual user activity
- C. Denial-of-service activity
- D. Account hijacking attempts
- E. Suspicious file activity

Answer(s): A, B, D

Explanation:

Account hijacking attempts

--Detect potential account hijacking attempts discovered by identifying unusual login activities. These can happen if there are concurrent login attempts made in short duration from two different geographic locations, which is impossible time travel